



Labelling Solutions

DYMO

and done.



Simply get more done with DYMO®

DYMO

Shop by labelling need:

Files & Binders



Assets & Inventory



General Identification



Networking Components, Wires & Cables



Safety & Facility Maintenance




Desktop Mailing



Shipping



Specialty Labels



System Integration & Visitor Management



Comparisons & Overviews

LabelManager® & Rhino™ Comparison	24
D1 Label Overview	26
IND Label Overview	27
LabelWriter® Comparison	28
LW Label Overview	29
CardScan® Overview	30

Files & Binders | done.



Keep any office organised, efficient and under control.

Recommended products for files and binders:



One touch fast-formatting keys
LabelManager® 160



LabelManager® 160P

Easy-to-use label maker with fast-formatting keys.

Prints 6/9/12 mm widths

- Edit text easily with one touch fast-formatting keys for text size, bold, italic, underline/box and vertical text
- Type text quickly on the computer style keyboard

Code	Description
AP012950	LabelManager® 160P



LabelManager® 210D

All-purpose labelling made easy with large graphical display.

Prints 6/9/12 mm widths

- Large graphical display shows text effects on screen before you print
- Enjoy an intuitive labelling experience with easy navigation from start to print

Code	Description
SD84480	LabelManager® 210D

Recommended label options

DYMO




LABELS

D1 Labels

For use in LabelManager® Series


Labels for hundreds of tasks around the office or home office, such as filing and storage.

All DYMO® D1 labels are temperature, UV and water resistant with an easy-peel split back for effortless application.



Label Widths*

Print labels in the following widths



* Not all label makers print every size shown

D1 Label Colours*

For full D1 label overview, see page 26



* Colour options vary by label width



LABELS

Paper pre-cut filing labels also available

For LW Labels used in LabelWriter® printers, see page 29



For full D1 and Industrial label overview, see pages 26-27



LabelManager® 280P

Smart, versatile – with all the right connections.

Prints 6/9/12 mm widths

- Customise labels with any fonts and graphics on your computer through PC or Mac® connection
- Avoid the cost and waste of disposable batteries with a rechargeable battery pack



LabelManager® PnP

Just plug, type and print – it's that easy!

Prints 6/9/12 mm widths

- No software to install – built-in software is ready to use with no installation
- Customise your label with any fonts or graphics on your computer through PC or Mac® connection



LabelManager® 360D

More power, more features, no more AA batteries.

Prints 6/9/12/19 mm widths

- Powered by a rechargeable battery pack so you can charge and go – unlike an AC adapter
- Large 40 × 70 mm screen displays two lines of text

Code	Description
S0968980	LabelManager® 280P

Code	Description
SD915400	LabelManager® PnP

Code	Description
SD879530	LabelManager® 360D

Assets & Inventory | done.



Keep everything in its place –
or make it trackable.

Recommended products for
assets and inventory:



Built-in wireless capability
LabelManager® Wireless PnP



LabelManager® Wireless PnP

**One printer, multiple users –
share wirelessly.**

Prints 6/9/12/19/24 mm widths

- Share with others in your wireless network – easy setup
- Print crystal-clear graphics, barcodes and logos at 300 dpi resolution
- Automatic label cutter

Code	Description
S0969050	LabelManager® Wireless PnP



LabelWriter® 450 Duo

**Print the widest variety of DYMO®
labels with one versatile printer.**

Prints 6/9/12/19/24 mm widths & LW labels

- Add versatility to your label printing – print DYMO® LW, D1 and IND labels in a variety of sizes and colours
- Print file folder, address, shipping, barcode, inventory and specialty labels, plus name badges and more

Code	Description
SD0840390	LabelWriter® 450 Duo

Recommended label options

DYMO




LABELS

D1 Labels

Suitable for many tasks around the office and can be removed without leaving adhesive residue.


Available in widths up to 24 mm*



* Colour options vary by label width

Label Widths*

Print labels in the following widths



24 mm

* Not all label makers print every size shown



LABELS

Indoor/Outdoor Vinyl Labels

For labelling in extreme conditions. Ideal for both indoor and outdoor use.

Available in 9, 12 and 19 mm widths



Permanent Polyester Labels

Can be used on a variety of flat or textured surfaces and has excellent solvent and chemical resistance.

Available in 9, 12, 19 and 24 mm widths



For full D1 and Industrial label overview, see pages 26-27



LabelManager® 500TS

Just tap to create, edit and format labels with ease.

Prints 6/9/12/19/24 mm

- Large, full-colour touch screen – a DYMO® first!
- Print crystal-clear graphics, barcodes and logos at 300 dpi resolution
- Automatic label cutter

LabelManager® 420P

High-performance label maker with PC or Mac® connection.

Prints 6/9/12/19 mm

- Large 4-line backlit display
- Use standalone – or connect via USB to your PC or Mac®
- Powered by a rapid-charge battery pack keeping you on-the-go

Rhino™ 5200

The portable labelling tool that saves you time and money – with every job.

Prints 6/9/12/19 mm widths

- Exclusive 'Hot Keys' automatically size, space and format labels for specific industrial applications
- Prints Code 39 and Code 128 barcodes on 19 mm labels

Code	Description
AP012949	LabelManager® 500TS

Code	Description
SD915500	LabelManager® 420P

Code	Description
SD841460	Rhino™ 5200

General Identification | done.

Please Keep Door Closed



Leave any job looking better than you found it.

Recommended products for general identification:



You've never labelled like this
LabelManager® 500TS Touch Screen



Rhino™ 4200

Compact, time-saving labelling tool for on-the-go pros.

Prints 6/9/12/19 mm widths

- Exclusive 'Hot Keys' automatically size, space and format labels for specific industrial applications
- Quick and comfortable text entry on the computer-style keyboard



LabelManager® 420P

The high-performance label maker that's built to keep up.

Prints 6/9/12/19 mm widths

- Large 4-line backlit display
- Use standalone – or connect via USB to your PC or Mac®
- Powered by a rapid charge battery, keeping you on the go

Code	Description
S0955950	Rhino™ 4200

Code	Description
SD915500	LabelManager® 420P

Recommended label options

DYMO



LABELS

D1 Labels

Suitable for many tasks around the office and can be removed without leaving adhesive residue.



Available in widths up to 24 mm*



* Colour options vary by label width

Label Widths*

Print labels in the following widths



24 mm

* Not all label makers print every size shown



LABELS

Indoor/Outdoor Vinyl Labels

For general labelling in extreme conditions. Ideal for both indoor and outdoor use.

Available in 9, 12 and 19 mm widths



Permanent Polyester Labels

Ideal for flat surfaces, with a polished finish that leaves your work looking professional.

Available in 9, 12, 19 and 24 mm widths



For full D1 and Industrial label overview, see pages 26-27



LabelManager® Wireless PnP

One printer, multiple users – share wirelessly.

Prints 6/9/12/19/24 mm widths

- Share with others in your wireless network – easy setup
- Print crystal-clear graphics, barcodes and logos at 300 dpi resolution
- Automatic label cutter

LabelManager® 500TS

Just tap to create, edit and format labels with ease.

Prints 6/9/12/19/24 mm widths

- Large, full-colour touch screen – a DYMO® first!
- Print crystal-clear graphics, barcodes and logos at 300 dpi resolution
- Automatic label cutter

LabelWriter® 450 Duo

Print the widest variety of DYMO® labels with one versatile printer.

Prints 6/9/12/19/24 mm widths and LW labels

- Add versatility to your label printing – print DYMO® LW, D1 and IND labels in a variety of sizes and colours
- Print file folder, address, shipping, barcode, inventory and specialty labels, plus name badges and more

Code **Description**

S0969050 LabelManager® Wireless PnP


Code **Description**

AP012949 LabelManager® 500TS

Code **Description**

SD0840390 LabelWriter® 450 Duo

Networking Components, Wires & Cables | done.



Label it fast, label it once,
label it right.

Recommended products for
networking components, wires and cables:



Rhino™ 4200 exclusive
one-touch 'Hot Keys'



Breaker/Module



Code 39/Code 128



Wire/Cable/Flag



Rotate/Align



General/Fixed

Rhino™ 4200

Compact, time-saving labelling tool for on-the-go pros.

Prints 6/9/12/19 mm widths

- Exclusive 'Hot Keys' automatically size, space and format labels for specific industrial applications
- Quick and comfortable text entry on the computer-style keyboard

Code	Description
S0955950	Rhino™ 4200

Recommended label options



Permanent Polyester Labels

Ideal for flat surfaces, with a polished finish that leaves your work looking professional.

Available in 9, 12, 19 and 24 mm widths



Flexible Nylon Labels

Labels conform and stick tightly to wires, cables, curved and textured surfaces.

Available in 12, 19 and 24 mm widths



Indoor/Outdoor Vinyl Labels



For general labelling in extreme conditions. Ideal for both indoor and outdoor use.

Available in 9, 12 and 19 mm widths



Label Widths*

Print labels in the following widths



* Not all label makers print every size shown



Heat-Shrink Tubes

For high-end cable identification. A 3:1 shrink ratio helps ensure a secure fit on wires and cables. Print directly on Heat-Shrink Tubes with any DYMO Rhino™ labelling tool.

Available in 6, 9, 12 and 19 mm widths

For full D1 and Industrial label overview, see pages 26-27



Rhino™ 5200

The portable labelling tool that saves you time and money – with every job.

Prints 6/9/12/19 mm widths

- Exclusive 'Hot Keys' automatically size, space and format labels for specific industrial applications
- Prints Code 39 and Code 128 barcodes on 19 mm labels

Code	Description
SD841460	Rhino™ 5200
SD841440	Rhino™ 5200 Hard Case Kit



Manufacturer Templates

Download templates with exact label spacing for patch panels, 110 and terminal blocks. Open in Rhino Connect™ software, and add text to create labels that fit the equipment perfectly – no measuring required. New templates added regularly.

Safety & Facility Maintenance | done.



Complete your work with pride and professionalism.

Recommended products for safety and facility maintenance:



Rhino™ 4200 exclusive one-touch 'Hot Keys'



Breaker/Module



Code 39/Code 128



Wire/Cable/Flag



Rotate/Align



General/Fixed

Rhino™ 4200

Compact, time-saving labelling tool for on-the-go pros.

Prints 6/9/12/19 mm widths

- Exclusive 'Hot Keys' automatically size, space and format labels for specific industrial applications
- Quick and comfortable text entry on the computer-style keyboard

Code	Description
S0955950	Rhino™ 4200

Rhino™ 5200

The portable labelling tool that saves you time and money – with every job.

Prints 6/9/12/19 mm widths

- Exclusive 'Hot Keys' automatically size, space and format labels for specific industrial applications
- Prints Code 39 and Code 128 barcodes on 19 mm labels

Code	Description
SD841460	Rhino™ 5200
SD841440	Rhino™ 5200 Hard Case Kit

Recommended label options



LABELS

Permanent Polyester Labels


Ideal for flat surfaces, with a polished finish that leaves your work looking professional.

Available in 9, 12, 19 and 24 mm widths




Label Widths*

Print labels in the following widths



6 mm




9 mm



12 mm



19 mm



24 mm

* Not all label makers print every size shown



LABELS

Indoor/Outdoor Vinyl Labels

For general labelling in extreme conditions. Ideal for both indoor and outdoor use.

Available in 9, 12 and 19 mm widths




Need to meet specific labelling standards?



We have a broad assortment of materials that meet OSHA, ANSI, and ISO standards. To learn more visit: dymo.com.au or dymo.co.nz

For full D1 and Industrial label overview, see pages 26-27



Rhino™ M1011

Create industrial-strength metal embossed labels.

- Uses 12 mm Stainless Steel and Aluminium labels
- Built-in hole and cable tie punches – excellent for creating hang tags
- Rugged cast aluminium frame withstands tough working conditions



For heavy duty, extreme condition labelling.

Rhino™ M1011 Metal Tape Embosser

Code	Description
------	-------------


SD310110	Rhino™ M1011 Embosser
----------	-----------------------



Labels | done.

DYMO

The right label for virtually every situation and surface.



Standard

D1 Standard Labels

For hundreds of tasks around the office or home office, such as filing, storage and asset management.

Available in continuous label cassettes, so you can create sharp, easy-to-read labels of just about any length.



Heavy duty

Indoor/Outdoor Vinyl

Ideal for both indoor and outdoor applications.

Permanent Polyester

Professional polished finish ideal for panels, blocks, faceplates, shelves, bins, beams and more.

Flexible Nylon

Labels conform and stick tightly to wires, cables, curved and textured surfaces.

Heat-Shrink Tube

Print on 3:1 heat-shrink tubing for high-end cable identification.

D1 labels feature*:



Easy-Peel Backing
Quickly and easily remove label backing for trouble-free application



UV Resistant



Water Resistant



Cold/Heat Resistant

* Details see page 26

Industrial labels feature**:



Easy-Peel Backing



UV Resistant



Water Resistant



Cold/Heat Resistant



Oil Resistant



Chemical Resistant

** Details see page 27

Desktop Mailing | done.



Make any office more productive, efficient and professional.

Recommended products for desktop mailing:



DYMO® Label Software
Increase efficiency, see page 22



LabelWriter® 450

Fast, smart label printing for any budget.

- Customise and print address, shipping, file folder and barcode labels, plus name badges and more
- Prints up to 51 labels per minute (4-line address label)
- Includes proprietary DYMO® Label™ software that provides more than 100 label styles and layouts

Code	Description
SD0840360	LabelWriter® 450



LabelWriter® 450 Turbo

The high-speed, hassle-free labelling and mailing solution.

Includes all features of the 450 plus:

- Prints up to 71 labels per minute (4-line address label), 40% faster than our base model

Code	Description
SD0840370	LabelWriter® 450 Turbo

Recommended label options



LABELS

LW Labels

For use in LabelWriter® series printers

LW labels use a direct thermal printing process – so you never need to bother with messy, expensive ink or toner cartridges.

And because they're packaged in rolls, you can print one label or hundreds with ease – no sheet label hassle or waste.



Standard Address Labels

Available size options



- SD99010 (130 labels/roll, 2 rolls/box) 28 x 89 mm (white)
- SD99012 (260 labels/roll, 2 rolls/box) 36 x 89 mm (white)
- SD99013 (260 labels/roll, 1 roll/box) 36 x 89 mm (transparent)
- SD11352 (500 labels/roll, 1 roll/box) 25 x 54 mm (white return address label)

For full LW label overview, see page 29



LabelWriter® 450 Twin Turbo

Maximise your labelling and mailing efficiency.

Includes all features of the 450 plus:

- Enhance your efficiency and have two rolls of labels ready to print at all times – perfect for printing address and shipping or filing labels without swapping label rolls
- Prints fast – up to 71 labels per minute (4-line address label), 40% faster than our base model

Code	Description
SD0840380	LabelWriter® 450 Twin Turbo



LabelWriter® 450 Duo

Print the widest variety of DYMO® labels with one versatile printer.

Includes all features of the 450 plus:

- Add versatility to your label printing – print labels for mailing and shipping (LW) as well as permanent labels for identification (D1) in a variety of sizes and colors
- Prints fast – up to 71 labels per minute (4-line address label), 40% faster than our base model

Code	Description
SD0840390	LabelWriter® 450 Duo



Label faster. Mail smarter.

Print one label or hundreds at a time.

No need to dispose of partially used sheet labels, and no more printer jams or formatting hassles.

300 dpi print resolution for precise barcodes and clear, legible text and graphics.

Shipping | done.



Save time and money.

Recommended product
for shipping:



Integrates easily into 3rd-party applications
LabelWriter® 4XL



LabelWriter® 4XL Wide-Format Heavy duty high-speed label printing.

- Print labels up to 10 cm wide – including bulk mailing labels and other large-format labels like 104 x 159 mm all-in-one shipping labels, warehouse labels, barcode and identification labels
- Print up to 129 labels per minute (or 81 mm per second, 4-line address on high capacity labels)
- Integrates easily into third-party software applications using the DYMO® Software Developers Kit (SDK) available as a free download from dymo.com.au or dymo.co.nz

Code	Description
SD0904960	LabelWriter® 4XL

Recommended label options

DYMO



LABELS

LW Shipping Labels

For use in LabelWriter® Series


Available for oversized envelopes, priority mail packages and boxes; LW Labels are big enough to fit your return address, logo, and the recipient address all while meeting postal requirements.

Available size options

SD99014 (220 labels/roll, 1 roll/box) 54 x 101 mm


SD30256 (300 labels/roll, 1 roll/box) 60 x 101 mm

For full LW label overview, see page 29



High Capacity Labels

For use with LabelWriter® 4XL only



SD0947410 (1050 labels/roll, 2 roll/box) 28 x 89 mm

SD0947420 (575 labels/roll, 2 roll/box) 59 x 102 mm

SD0904980 (220 labels/roll, 1 roll/box) 104 x 159 mm




Specialty Labels | done.



A wide variety of label solutions for all your needs.

For use in all LabelWriter® label printers:



Visitor Management

Track vendors, visitors and guests

Add fast, sophisticated and affordable badge printing to your office or event.

For full Visitor Management overview, see page 23

LabelWriter® Label Printer Family

Label faster. Mail smarter. Look sharp.

- Customise and print address, shipping, file folder and barcode labels, plus name badges and more
- Do it all with DYMO® Label™ software v.8 — all from your PC or Mac®*
- No expensive ink or toner needed – uses thermal printing technology
- Create custom labels from 100+ label styles and layouts

*Compatible with Windows® XP, Windows Vista®, Windows® 7, Windows® 8 or Mac® OS® X v10.5 or later – Intel® only

Recommended label options

DYMO




LABELS


LW Specialty Labels

For use in LabelWriter® Series

Available in a wide variety of shapes and sizes, DYMO® offers specialty labels to meet a broad range of needs such as visitor management, media archiving, retail and general purpose labelling.




Name Badges/Appointment Cards




Adhesive Name Badge

SD99014 (220 per roll)
Removable 54 x 101 mm



Appointment / Name Badge


SD30374 (300 per roll)
Non-adhesive 51 x 89 mm



Large Name Badge


SD30856 (250 per roll)
Non-adhesive 62 x 106 mm

Filing/Media Storage



Large Lever Arch

SD99019 (110 per roll)
Permanent 59 x 109 mm



Suspension File


SD99017 (220 per roll)
Permanent 12 x 50 mm



CD/DVD

SD14681 (160 per roll)
Permanent 57 mm diameter

Multi-Purpose



Large Multi-Purpose

SD99015 (320 per roll)
Permanent 54 x 70 mm



Multi-Purpose

SD11354 (1000 per roll)
32 x 57 mm
SD11355 (500 per roll)
19 x 51 mm
SD30332 (750 per roll)
25 x 25 mm
SD11353 (1000 per roll)
Removable 13 x 25 mm

System Integration | done.




Get great labelling results
with a lot less work.

Software



DYMO® Label™ v.8 Software For PC or Mac®

- Included with every LabelWriter® and PC or Mac® compatible LabelManager® label maker
- Choose from over 100 pre-designed label layouts, then customise with your company logo or graphics
- Built-in address book: Print labels straight from your contact list or from your Outlook® contacts or Mac® Address Book
- Multi application: Create labels directly from Microsoft® Word, Outlook®, Excel® and CardScan® without retyping your text
- QuickPrint widget: Print a single label quickly and easily



Integration

DYMO



DYMO® Software Development Kits (SDK)

Make labelling part of your seamless work process.

Easily and quickly integrate DYMO® label printing or card scanning into any Windows®, Mac®, Linux® or custom embedded system.

For more than 14 years, software developers and product development engineers have used DYMO® SDKs to incorporate DYMO® label printing or CardScan business card scanning capabilities into their in-house systems or customer solutions. Whether you're developing for the Windows, Mac® or Linux operating system, or for a custom embedded system, we've got the SDK you need to make our technology part of your work flow.

Get regular updates from our technical team on the DYMO® Developers blog: <http://developers.dymo.com>



Around the globe, DYMO® products play a key role in solutions for:

- Practice and patient management
- Point of care printing and labelling applications
- Laboratory and instrument labelling
- Simple visitor-operated badge printing solutions
- Factories, retail and industry
- Shipping (using leading carriers)

Visitor Management



LabelWriter® Visitor Management Software and Hardware bundle

- Includes 12-month subscription to hosted "WhosOnLocation" system, LabelWriter® 450 and 4 x rolls of Adhesive Name Badges
- Easy to set-up and use — quickly sign-in visitors and print name badges
- Eliminate the manual paper-based process and gain real-time visibility of who is on your premises
- Build and report from a centralised and accurate record of all visitors and contractors

Code	Description
AP015623	LW Visitor Management Bundle (Australia)
AP015622	LW Visitor Management Bundle (New Zealand)



Make a professional first impression on visitors to your workplace with a digital visitor management solution.

LabelManager® & Rhino™ | Comparison

DYMO® LabelManager® and Rhino™ Label Makers

The right label maker for virtually every situation.



Model / Features	LabelManager® 160	LabelManager® 210D	LabelManager® 280	LabelManager® 360D	LabelManager® 420P
Label widths	6 / 9 / 12 mm	6 / 9 / 12 mm	6 / 9 / 12 mm	6 / 9 / 12 / 19 mm	6 / 9 / 12 / 19 mm
Label system	D1 / IND Rhino™	D1 / IND Rhino™	D1 / IND Rhino™	D1 / IND Rhino™	D1 / IND Rhino™
Printing system	Thermal Transfer	Thermal Transfer	Thermal Transfer	Thermal Transfer	Thermal Transfer
Print resolution	180 dpi	180 dpi	180 dpi	180 dpi	180 dpi
Print speed	12 mm / second	12 mm / second	12 mm / second	12 mm / second	12 mm / second
Number of print lines	2	2	Unlimited (2*)	2	Unlimited (4*)
Number of styles	8	7	Win / Mac® fonts (6*)	7	Win / Mac® fonts (12*)
Number of fonts	1	1	Win / Mac® fonts (3*)	3	Win / Mac® fonts (8*)
Number of symbols	228	132	Win / Mac® fonts (220*)	221	Win / Mac® fonts (325*)
Number of character sizes	6	6	Win / Mac® fonts (6*)	7	Win / Mac® fonts (7*)
Keyboard layout	QWERTY	QWERTY	QWERTY	QWERTY	ABC
Hot Keys	–	–	–	–	–
Backlit display	–	–	–	–	✓
Extra label memory	–	9	9	9	9
Fixed length	–	✓	✓	✓	✓
Multiple copies max	–	10	10	10	10
Import data (MS Excel)	–	–	✓	–	✓
PC/Mac connectivity	–	–	PC & Mac®	–	PC & Mac®
Serialisation	–	–	–	–	–
Cutter type	Manual	Manual	Manual	Manual	Manual
Low battery indicator / Auto off	✓	✓	✓	✓	✓
Battery type	AAA (6x)	AA (6x)	Rechargeable	Rechargeable	Rechargeable
Adapter compatible	✓	✓	✓	✓	✓
Asset tracking	–	–	–	–	✓
Barcode	–	–	✓	–	✓
Breakers & Modules	–	–	–	–	–
Files & Binders	✓	✓	✓	✓	✓
General identification	–	–	–	–	✓
Networking components	–	–	–	–	–
Safety & Facility Maintenance	–	–	–	–	–
Wire / Cable / Flag	–	–	–	–	–



LabelManager® 500TS	LabelManager® PnP	LabelManager® Wireless PnP	Rhino™ 4200	Rhino™ 5200
6 / 9 / 12 / 19 / 24 mm	6 / 9 / 12 mm	6 / 9 / 12 / 19 / 24 mm	6 / 9 / 12 / 19 mm	6 / 9 / 12 / 19 mm
D1 / IND Rhino™	D1 / IND Rhino™	D1 / IND Rhino™	IND Rhino™	IND Rhino™
Thermal Transfer	Thermal Transfer	Thermal Transfer	Thermal Transfer	Thermal Transfer
300 dpi	180 dpi	300 dpi	180 dpi	180 dpi
20 mm / second	12 mm / second	15 mm / second	15 mm / second	10 mm / second
Unlimited	Unlimited	Unlimited	5	5
Win / Mac® fonts (32*)	Win / Mac® fonts	Win / Mac® fonts	5	5
Win / Mac® fonts (10*)	Win / Mac® fonts	Win / Mac® fonts	1	1
Win / Mac® fonts (325*)	Win / Mac® fonts	Win / Mac® fonts	Symbol Library (80)	Symbol Library (120+)
Win / Mac® fonts (25*)	Win / Mac® fonts	Win / Mac® fonts	7	6
QWERTY	—	—	QWERTY	ABC
—	—	—	✓	✓
—	—	—	✓	✓
500	—	—	25	100
✓	✓	✓	✓	✓
49	49	49	10	99
✓	✓	✓	—	—
PC & Mac®	PC & Mac®	PC & Mac®	—	—
—	—	—	Simple	Advanced
Automatic	Manual	Automatic	Manual	Manual
✓	✓	✓	✓	✓
Rechargeable	Rechargeable	Rechargeable	Rechargeable optional	Rechargeable optional
✓	✓	✓	✓	✓
✓	—	✓	✓	—
✓	✓	✓	Code 39 + Code 128	Code 39 + Code 128
—	—	—	✓	✓
✓	✓	✓	—	—
✓	—	✓	—	✓
—	—	—	—	✓
—	—	—	✓	✓
—	—	—	✓	✓

D1 Label | Overview

DYMO® D1 Labels

Available in continuous label cassettes, so you can create sharp, easy-to-read labels of just about any length.



Label Type / Tape Width			6 mm	9 mm	12 mm	19 mm	24 mm
D1 STANDARD	For hundreds of tasks around the office or home office, such as filing, storage and asset management. Cold/Heat Resistance: -40°C to 90°C Length: 7 m	BLACK ON WHITE	SD43613	SD40913	SD45013	SD45803	SD53713
		BLACK ON CLEAR	SD43610	SD40910	SD45010	SD45800	SD53710
		BLACK ON YELLOW	—	SD40918	SD45018	SD45808	SD53718
		BLACK ON BLUE	—	—	SD45016	SD45806	—
		BLACK ON GREEN	—	—	SD45019	SD45809	—
		BLACK ON RED	—	—	SD45017	SD45807	—
		WHITE ON CLEAR	—	—	SD45020	—	—
		WHITE ON BLACK	—	—	SD45021	SD45811	—
		BLUE ON WHITE	—	SD40914	SD45014	SD45804	—
	RED ON WHITE	—	—	SD45015	SD45805	—	

For use with LabelManager® series and LabelWriter® 450 Duo

D1 labels feature:



Easy-Peel Backing
Quickly and easily remove label backing for trouble-free application



UV Resistant



Water Resistant



Cold/Heat Resistant

IND Label | Overview

DYMO

DYMO® Industrial Labels

Equipped with industrial-strength adhesive, IND Labels won't smear or fade, and are jobsite tested and UL recognised.



LABEL TYPE / TAPE WIDTH			6 mm	9 mm	12 mm	19 mm	24 mm
INDUSTRIAL VINYL	Ideal for both indoor and outdoor applications. Available in the widest range of colours that meet OSHA, ANSI and ISO colour standards. Cold/Heat Resistance: -40°C to 80°C Length: 5.5 m – UL recognised component to UL 969 – RoHS compliant	BLACK ON WHITE	–	SD18443	SD18444	SD18445	–
INDUSTRIAL PERMANENT POLYESTER	Professional, polished finish ideal for panels, blocks, faceplates, shelves, bins, beams and more. Cold/Heat Resistance: -40°C to 150°C Length: 5.5 m – UL recognised component to UL 969 – RoHS compliant	BLACK ON WHITE	–	SD18482	SD18483	SD18484	SD1734523
INDUSTRIAL FLEXIBLE NYLON	Labels conform and stick tightly to wires, cables, curved and textured surfaces. Tear-proof material resists damage when pulled through tight spaces or conduits. Cold/Heat Resistance: -10°C to 80°C Length: 3.5 m – UL recognised component to UL 969 – RoHS compliant	BLACK ON WHITE	–		SD18488	SD18489	SD1734524
		BLACK ON YELLOW	–		SD18490	SD18491	SD1734525
INDUSTRIAL HEAT SHRINK TUBE*	For high-end cable identification. A 3:1 shrink ratio helps ensure a secure fit on wires and cables. Cold/Heat Resistance: -55°C to 135°C Length: 1.5 m – UL recognised component to UL 224 – Meets MIL-STD-202G, MIL-M-81531 and SAE-OTL 23053/5 (Class 1 + 3) – RoHS compliant	BLACK ON WHITE	SD18051	SD18053	SD18055	SD18057	–

For use with LabelManager® series and LabelWriter® 450 Duo

*Only compatible with Rhino™ labelling tools

Rhino™ M1011 Embosser Labels

Labels resist corrosion due to extreme weather, temperature, chemical, and UV exposure.

CODE #	DESCRIPTION	LENGTH	COLOR
SD301241	Non-Adhesive Aluminium, 12 mm	4.8 m	Aluminium
SD301242	Non-Adhesive Stainless Steel, 19 mm	6.4 m	Stainless

Industrial labels feature:



Easy-Peel Backing



UV Resistant



Water Resistant



Cold/Heat Resistant



Oil Resistant



Chemical Resistant

LabelWriter® | Comparison

DYMO® LabelWriter® Label Printers

A wide variety of label solutions for all your needs.



MODEL / FEATURES		LabelWriter® 450	LabelWriter® 450 Turbo	LabelWriter® 450 TwinTurbo	LabelWriter® 450 Duo	LabelWriter® 4XL
PRINTING	Print resolution (dpi)	600 x 300	600 x 300	600 x 300	600 x 300 (D1: 180)	300
	Printing system	Direct Thermal	Direct Thermal	Direct Thermal	Direct Thermal Thermal Transfer	Direct Thermal
	Print speed (labels/minute)	51	71	71	71	53 (129 on high capacity labels)
	Maximum print width (mm)	56	56	56	56	106
LABELS / GRAPHICS	Available label templates	100+	100+	100+	100+	100+
	Label template designer	✓	✓	✓	✓	✓
	Print texts, barcodes (20 types), images & pictures, date & time, serial numbers and much more	✓	✓	✓	✓	✓
	Label types & sizes	18	18	18	18 + 50 D1 labels	21
SPECIFIC FUNCTIONS	Label guide (to keep the labels aligned)	✓	✓	✓	✓	—
	Sleep mode (to conserve energy)	✓	✓	✓	✓	✓
	Network sharing through your operating system	✓	✓	✓	✓	✓
	Starter labels included	100 labels 89 x 36 mm	100 labels 89 x 36 mm	2 x 100 labels 89 x 36 mm	100 labels 89 x 36 mm + 24 mm x 3 m D1 labels black on white	50 labels 104 x 159 mm
SIZE/WEIGHT	Size (WxDxH mm)	127 x 187 x 134	127 x 187 x 134	217 x 187 x 134	140 x 197 x 183	178 x 187 x 134
	Weight (excl. adapter & roll)	654 g	654 g	1,120 g	1,360 g	890 g
WARRANTY	2-year warranty plus 1 additional year upon product registration at dymo.com or dymo.co.nz	✓	✓	✓	✓	✓

LW Labels | Overview

DYMO

DYMO® LabelWriter® Labels

Uses a direct thermal printing process – so you never need to bother with messy, expensive ink or toner cartridges.



LABEL TYPE		Size in mm	Code #	Labels per roll / Rolls per box	Adhesive	Material
MAILING	Standard address labels	28 x 89	SD99010	130 / roll 2 / box	Permanent	Paper
	Standard address labels	28 x 89	SD0722360	130 / roll 24 / box	Permanent	Paper
	High capacity address labels	89 x 28	SD0947410	1050 / roll 2 / box	Permanent	Paper
	Large address labels	36 x 89	SD99012	260 / roll 2 / box	Permanent	Paper
	Large address labels	36 x 89	SD0722390	260 / roll 24 / box	Permanent	Paper
	Large address labels	36 x 89	SD99013	260 / roll 1 / box	Permanent	Transparent-Plastic
	Large return address labels	25 x 54	SD11352	500 / roll 1 / box	Permanent	Paper
SHIPPING	Shipping / Name badge labels	54 x 101	SD99014	220 / roll 1 / box	Permanent	Paper
	High capacity shipping labels	102 x 59	SD0947420	575 / roll 2 / box	Permanent	Paper
	Shipping / Name badge labels	54 x 101	SD0722420	220 / roll 12 / box	Permanent	Paper
	High capacity XL shipping labels	104 x 159	SD0904980	220 / roll 1 / box	Permanent	Paper
MULTI-PURPOSE	Multi-purpose labels	13 x 25	SD11353	1000 / roll 1 / box	Removable	Paper
	Square multi-purpose labels	25 x 25	SD30332	750 / roll 1 / box	Removable	Paper
	Multi-purpose labels	19 x 51	SD11355	500 / roll 1 / box	Removable	Paper
	Multi-purpose labels	57 x 32	SD11354	1000 / roll 1 / box	Removable	Paper
	Large multi-purpose labels	54 x 70	SD99015	320 / roll 1 / box	Permanent	Paper
SPECIALTY	Suspension file labels	12 x 50	SD99017	220 / roll 1 / box	Permanent	Paper
	Lever arch file labels	59 x 190	SD99019	110 / roll 1 / box	Permanent	Paper
	Appointment / Name badge cards	51 x 89	SD30374	300 / roll 1 / box	Non-adhesive	Paper
	Large name badge cards	62 x 106	SD30856	250 / roll 1 / box	Non-adhesive	Paper
	CD labels	57 diameter	SD14681	160 / roll 1 / box	Permanent	Paper

CardScan® | Overview



	Feature	CardScan® Personal	CardScan® Executive	CardScan® Team
DATA EXCHANGE AND TRANSFER	Synchronise with Microsoft® Outlook and Outlook Express	✓	✓	✓
	Synchronise with Palm® Desktop	✓	✓	✓
	Synchronise with Windows Mobile® and Windows Contacts	✓	✓	✓
	Synchronise with ACT!® Standard and Premium for Workgroups	—	✓	✓
	Synchronise with Lotus® Notes (Windows)	—	✓	✓
	Synchronise with GoldMine® v 6.7	—	✓	✓
CONTACT MANAGEMENT	De-duplication wizard	✓	✓	✓
	Quick search	✓	✓	✓
	Quick search	✓	✓	✓
	Microsoft Outlook® Add-in	—	✓	✓
	Save any CardScan® file in .csv or .vcf	✓	✓	✓
	Quick launch: route mapping	✓	✓	✓
	Launch email	✓	✓	✓
	Print LabelWriter® labels	✓	✓	✓
	Import and export data	✓	✓	✓
	Multiple options for viewing contacts	✓	✓	✓
NUMBER OF USERS	Network sharing	1	1 (expandable)	2 (expandable)
SCANNING	Scan in monochrome	✓	✓	✓
	Scan in colour	—	✓	✓
	Scan speed per business card	5 sec	3 sec	3 sec
PRODUCTION DATA	Connection	USB 2.0	USB 2.0	USB 2.0
	Size (WxDxH mm)	121x83x38	165x92x44	165x92x44
	Weight (excluding cable)	218 g	218 g	218 g



Why Register?

2+1 Year Warranty

All DYMO® LabelWriter® printers, LabelManager® label makers and CardScan® scanners are covered by a two-year warranty. However, if you register your DYMO® product on dymo.com, you will be entitled to an extra year's warranty.

1+1 Year Warranty

All DYMO® Rhino™ Industrial labelling tools are covered by a one-year warranty. However, if you register your DYMO® product on dymo.com.au or dymo.co.nz you will be entitled to an extra year's warranty.

As a registered user you will receive:

- Technical support
- After-sales service in accordance with the warranty conditions that apply to your product
- Automatic notification of software upgrades
- Helpful hints and tips
- Special offers and new product announcements

Register your DYMO® product on dymo.com.au or dymo.co.nz

DYMO® Help Desk

For further assistance on our products visit dymo.com.au or dymo.co.nz or call our help desk:

Australia	1800 633 868
New Zealand	0800 396 669

www.dymo.com.au

www.dymo.co.nz

5122122



A Newell Rubbermaid Brand

Product of
Newell Australia Pty Ltd
Australia - Level 3, 35 Dalmore Drive, Scoresby, Victoria 3179
New Zealand - 8 Amelia Earhart Avenue, Airport Oaks, Mangere, Auckland 2022



© 2016 Newell Australia Pty Ltd